














STALNI POSTAV 2013/E  
TEATAR EXIT



15-28 action 1.2kw	30-47 ADB PROF	par 64	ULTRALITE q2 KW	robin 300 LED WASH	CS1 9-60 adb 650w
22-30 adb warp	ultralite 1kw	LED 36	PC SS-65	robe 300 SPOT	



- |   |   |  |   |   |  |
|---|---|--|---|---|--|
|  15-28<br>action 1.2kw |  30-47<br>ADB PROF |  par 64 |  ULTRALITE q2 KW         |  robin 300<br>LED WASH |  CS1 9-60<br>adb 650w |
|  22-30<br>adb warp     |  ultralite 1kw     |  LED 36 |  PC SS-63<br>selecon 1kw |  robe 300<br>SPOT      |  |

**pozornica**

širina: 8,5 m

dubina: 7 m

visina od poda do stropa pozornice: 4,8 m

visina u odnosu na prvi red gledališta 1,1 m

pod: daske (kazališni) da







izlaz na pozornicu: s jedne strane









teretni pristup pozornici: ne

meka scenska oprema: crni horizont da / uzvlake ne

plesni podij: bijeli ne / crni ne

**Popis rasvjetne opreme**

	Tip	nO (skladište) [neispravno]	Žarulja / napomena
	Action 1,2 kW, 15°-30°	4 [1]	1200 W, CP 90, 88453, CR 4/10, showbiz
	ADB PC 650 W, C51, 9°- 60°, gy 9,5	25 (8)	CP89 FRM, 88461, shobiz, CR4 / 10, 650 w, GE ( <u>gy 9.5</u> )
Fresnel	ADB Fresnel, F51, 18°-65°, gy 9,5	2 (1)	
	ADB profil 650 W, 30° - 47°	4 (1)	CP89 FRM, 88461, shobiz, CR4 / 10, 650 w, GE ( <u>gy 9.5</u> )
	ADB profil 650 W (18°-38°)	4 (1)	CP89 FRM, 88461, shobiz, CR4 / 10, 650 w, GE ( <u>gy 9.5</u> )
	Designer LED 36, 3ch	4	x
LED PAR 64	LED PAR 64, 36 P	4	x
	PAR 64	8 (6)	CP 60 x 2 <hr/> CP 61 x 4

	ROBE, Robin, 300 LED WASH	4	x
	ROBE 300 SPOT	2	x
	Selecon RAMA 1kW PC	2	1200 W, (1000), cp 90, T19,T29, GE, hungary, gx 9,5
	Fresnel Selecon RAMA 1kW - 1,2 kW	1	1000, T19 T29, Gx 9,5
	Ultralite PC 1 kW	16 (1) [1]	1000 w, gx 9,5, T19, FWP, 64744 OSRAM,
	Ultralite Fresnel 2kW	6 (1) [1]	2000 W, CP 79, 88503, CR 4/10, Showbiz, G9, GE, (GY16)
	WARP ADB 12°-30°, 800W	1	800 W, gy 9,5, 6982 P, philips
	WARP ADB 22°-50°, 800W	2	800 W, gy 9,5, 6982 P, philips
Pratnja	Ultralite 2,2 kW	1 [1]	?
Profilac	Strand quartet 25, 650 W	(1)	Gy 9,5
PC	Strand quartet PC, 650 W	1	Gy 9,5
Radna rasvjeta	LFS iluminacion, 70W,	2	RX7s
UV	UV 400, ACME	2	XPW - 400
UV podni		1 (1)	
Strobo	Super strobe showtech, silverline,	2 [1]	
Strobo DMX	Flasher 1,5, SGM	1	
Dim mašina	X light N-1500 A	1	5l showtec
Dim mašina	Martin Magnum 850, 750W	1	Tekućina?
Dim mašina	Mini mist turbo LEmaitre	1	

	Buble mašina	Showtech buble X mega	1 (1)	
	Projektor	Proxima desktop projector 5800, 2500 ANSI	1 [1]	Neispravan (1.2013)
	Projektor	InFocus IN42, 3500 ANSI, 4:3, 5:4, 16:9	1	IN 42, C445,
	Kadica za projektor		1	
	Slide Projektor	KODAK ektrapro 4020	1 [1]	Upitne ispravnosti
	Light pult	ETC congo jr.	1	
	Light pult	STAND 200 console	1	
	Light pult	SHOW TEC, SHOWMASTER 24	1	
	Light pult	JESTER, Zero 88	1	
	Windup stari	Manfrotto	2	
	Rampa	Manfrotto	1 (3 com)	
	Windup novi	Srebrni	2	
	Rampa	Srebrna	1 (5 com)	
	DMX splitter, booster	Showtec Booster 4	1	Servisirano 12.12
	Kamera	Sony, digital handycam, digital 8, 100 x digital zoom,		
	Filteri	R 158 R 106 R 205 L 115 L 201		

		R 132 R 101 L 747 R 101 (+ svjetliji) R (prim green) L (miljac plavo)		
	Stativi	Ultralite srebrni	1	
	Stativi	Manfrotto	4	(fale dva trna/glave)
	T – bar	Manfrotto Novi	4	
	Stativi za paravane	3 s kolima, 3 bez	6	
	Noge za stativ za paravane		12	(6 bez vida)
	Stativi	Stari	4 [1]	
	T- bar	Stari	3	
	Dimeri	Show Shoh bar 6	4	(2 + 2)
	Dimeri	Show Shoh bar 4	2	
	Dimeri	EEC, Zero 88, monofazni	1	(20 A po fazi)
	Dimeri	EEC, Zero 88, trofazni	2	(60 A, 20 po fazi)